Stormwater Pollution Prevention Plan

Municipality: Pemberton Borough

County: Burlington

Permit Number NJG0147940

Annual Review Date:

Program Coordinator: Kathy Smick

Table of Contents

3
4
5
6
8
9
. 10
. 14
. 15
. 19
. 22
. 23

Form 1 – Team Members

Stormwater Program Coordinator (SPC)					
Name a	and Title	Kathy Smick			
Phone	609-894-8222		Email	ksmick@	pemberton.comcastbiz.net
	Individ	lual(s) Responsible for Major I Management Review	Developm	ient Proje	ct Stormwater
Name a	and Title	Hugh Dougherty, PE, CME			
Phone	856-547-0505		Email	HDough	erty@pennoni.com
Name a	and Title				
Phone			Email		
		Other Municipal Stormwater T	eam Mei	nbers	
	me and Title				
Phone			Email		
Name a	and Title				
Phone			Email		
Name a	and Title				
Phone			Email		
Shared/Contracted Service Providers					
Pro	ovider Name	Service Provided			Term of Service

Form 2 – Revision History

Revision	Form #	Reason for Revision
Date	Changed	(Updates to staff, policy, webpage, etc.)
9/10/19	Member	Change in members
06/27/2023	1-12	Update of Tier A Permit

Form 3 – Public Announcements *Part IV.B. and C.*

1. Provide the link to the dedicated stormwater webpage for your municipality.
www.pembertonborough.us
2. List the name and title of person(s) responsible for stormwater webpage postings/updates.
Kathy Smick, Administrator
3. List the newspapers, social media outlets, websites, direct mailings (Email or postal), and other communication approaches typically used to inform/educate the public on stormwater program information and related events/activities.
Pemberton Borough utilizes the Borough website, direct mailings and stormwater display at Borough Hall for education and announcements.

Form 4 – Post-Construction Stormwater Management in New Development and Redevelopment

Part IV.E.

1. How does the municipality define "major development"? If it is different from the definition in N.J.A.C. 7:8, explain the difference.

An individual development as well as multiple developments that individually or collectively result in the disturbance of one or more acres of land since February 2, 2004. Major development includes all developments that are part of a common plan of development or sale (for example, phased residential development) that collectively or individually result in the disturbance of one or more acres of land since February 2, 2004. Projects undertaken by any government agency that otherwise meet the definition of "major development," but which do not require approval under the Municipal Land Use Law, N.J.S.A. 40:55D-1 et seq., are also considered "major development."

2. Is the municipality's stormwater control ordinance (SCO) the same as or more stringent than NJDEP's model SCO? If more stringent, explain the difference.

Yes it is the same as NJDEP's Model SCO.

3. Describe the process for reviewing major development project applications for compliance with the SCO and Residential Site Improvement Standards (RSIS).

To control stormwater from new development and redevelopment projects throughout Pemberton Borough we will do the following.

We presently assure that all new residential development and redevelopment projects that are subject to the Residential Site Improvement Standards for stormwater management (including the NJDEP Stormwater Management rules, N.J.A.C. 7:8, references in those standards) are in compliance with those standards. Our planning and zoning board assure such compliance before issuing preliminary and final subdivision or site plan approvals under the Municipal Land Use Law.

6. Indicate the dates of each iteration of the township's Municipal Stormwater Management Plan, starting with the initial adoption and including revisions.	
 5. Indicate the dates of each iteration of the township's Stormwater Control Ordinance, starting with the initial adoption and including revisions. The Stormwater Control Ordinance was adopted 12-19-2002 and amended 2-16-2021. 6. Indicate the dates of each iteration of the township's Municipal Stormwater Management Plan, starting with the initial adoption and including revisions. 	Management Plan and Stormwater Control Ordinance? Indicate the location of records of all variances granted.
starting with the initial adoption and including revisions. The Stormwater Control Ordinance was adopted 12-19-2002 and amended 2-16-2021. 6. Indicate the dates of each iteration of the township's Municipal Stormwater Management Plan, starting with the initial adoption and including revisions.	Yes there is a mitigation plan, records of variances are kept in the Planning and Zoning Board office.
6. Indicate the dates of each iteration of the township's Municipal Stormwater Management Plan, starting with the initial adoption and including revisions.	•
Management Plan, starting with the initial adoption and including revisions.	The Stormwater Control Ordinance was adopted 12-19-2002 and amended 2-16-2021.
Dated June 1, 2005	<u> </u>
	Dated June 1, 2005

Form 5 – Ordinances

Part IV.F.1.

Ordinance	Date Adopted	Was the DEP model adopted without change? If not, explain how the municipality's is more stringent.	Entity Responsible for Enforcement	Fees & Fines
1. Pet Waste	06/16/1996	Similar to the Model Ordinance	Pemberton PD, Code Enforcement	\$50- \$1000
2. Wildlife Feeding	12/19/2005	Yes	Pemberton PD, Code Enforcement	\$1000
3. Litter Control	11/18/1991	Similar to the Model Ordinance	Pemberton PD, Code Enforcement	\$1000
4. Improper Disposal of Waste	12/19/2005	Yes	Pemberton PD, Code Enforcement	\$_
5. Yard Waste	12/19/2005	Yes	Pemberton PD, Code Enforcement	
6. Private Storm Drain Inlet Retrofitting	7-18-2011	Yes	Pemberton PD, Code Enforcement	\$1,250
7. Illicit Connections	12/19/2005	Yes	Pemberton PD, Code Enforcement	\$1,000
8. Privately- Owned Salt Storage	TBD		Pemberton PD, Code Enforcement	\$
9. Tree Removal- Replacement	TBD	ited ordinances the municipality ha	Pemberton PD, Code Enforcement	\$

List any additional stormwater-related ordinances the municipality has adopted that address issues beyond the scope of the MS4 permit. Include adoption date, entity responsible for enforcement, and related fees and fines.

Dumpster Lid Ordinance - 12/19/2005

Indicate the location of records associated with ordinances and related violations and enforcement actions below.

Borough Hall

Form 6 – Street Sweeping

Part IV.F.2.a.i. and ii.

- 1. Provide a written description and/or attach a map outlining the sweeping schedule for the following:
 - Segments of municipal roads with storm drain inlets that discharge to surface water (required at least 3 times each year)
 - Segments of municipal roads that do <u>not</u> have storm drain inlets but <u>do</u> discharge to surface water (required at least 1 times each year)

Note: Only asphalt and concrete roads need to be swept. Roads that do not have storm drain inlets and do not discharge to surface water do <u>not</u> need to be swept.

Street sweeping is currently maintained by Burlington County for County Roads.

The Township is in the process of updating the street sweeping program for the new requirements. The new program will be in place by January 1, 2026 and the SPPP will be updated.

2. Indicate if sweeping work is outsourced and if so, describe the arrangement.

The Borough is in the process of developing the street sweeping program.

Form 7 – MS4 Infrastructure

Part IV.F.2-4. and Part IV.G.2-3.

1. Municipal Storm Drain Inlets

- a. Describe how you ensure that municipal inlets without permanent wording cast into the design have been properly labelled.
- b. Describe how you ensure that municipal and private storm drain inlets have been retrofitted.
- c. Describe how you ensure that newly installed storm drain inlets include corresponding catch basins or other BMPs to collect solids.
- d. Describe when and how you conduct inspections of storm drain inlets and the criteria used to determine when they need to be cleaned.
 - a.) During the annual inlet cleaning program, the label condition is checked to ensure that they are still visible, and are corrected if they are not.
 - b.) The Borough Engineer inspects public and private paving programs to ensure that the inlets within the project are have been retrofitted. The Borough is in the process of locating all inlets to be added to the Borough Stormwater map. As part of the locating process the Borough will log whether the inlets have been retrofitted or in need of a retrofit. Inlet retrofitting will be completed by January 1, 2028.
 - c.) The Borough Engineer is responsible to design storm drain inlets installed by the Borough. The Borough Engineer will design catch basin inlets for any new installations made by the Borough.
 - d.) Inlets are inspected annually by DPW employees. Any inlets that are found to have sediment, trash, or other debris observed in the bottom of the inlet are cleaned by the DPW.

2. Municipal Catch Basins

- a. Describe when and how you conduct inspections of catch basins.
- b. Describe the criteria used to determine when catch basins need to be cleaned.
 - a.) The Township shall inspect all catch basins that it owns or operates. At a minimum, Township shall inspect a minimum of 20% of the total per year, rotating the schedule in such a way that all catch basins are inspected at least once every five years on approximately the same frequency.
 - b.) Cleaning and maintenance shall be implemented as frequently as necessary to ensure, at a minimum, that sediment, trash, or other debris is removed as necessary to control it from entering the waters of the State; to eliminate recurring problems; and maintain proper function. Catch basins will be cleaned when they reach 75% capacity of the sump bottom. Any catch basins within a reported area of flooding will be inspected and cleaned as necessary. The amount of material removed from the inlets is recorded.

3.	Mı	ınic	inal	Conv	eyance	S	vstem
				~ ~ ~ ,	-,	~ ~ .	, ~ ~ ~

Describe when and how inspections of MS4 conveyance systems are conducted, and the criteria used to determine when they need to be cleaned. Include a description of the equipment and techniques used.

Sewer inspection cameras will be used to view the enclosed pipe conveyances if needed based on drainage complaints. Borough staff visually inspect the conditions of any ditches and swales under the Borough's jurisdiction. Any noticeable trash or debris observed that interferes with the flow of stormwater is scheduled to be cleaned up within 1 week of inspection. If it appears that any ditches or swales need to be cleared, they will be added to the maintenance schedule to be completed as soon as possible, but no later than within 3 months of the inspection.

Additionally, conveyance systems that are downstream of areas with recent flooding complaints are inspected within 1 week of the complaint.

4. Municipal Outfall Inspections – Stream Scouring

Describe the program in place to detect, investigate, and control localized stream scouring from stormwater outfalls. Include a description of the equipment and techniques used.

Pemberton Borough has implemented an outfall pipe maintenance program to assure that all outfall pipes are maintained. Pemberton Borough Public Works inspects the outfall pipes twice a year in early spring and fall to determine if stream scouring is occurring and if remediation or maintenance is required. If maintenance is required, it will be scheduled and logged. A list of all repairs and the dates completed will be maintained in a log.

5. Municipal Outfall Inspections – Illicit Discharge Detection and Elimination
Describe the program in place for conducting visual dry weather inspections of municipally
owned or operated outfalls. Include a description of the equipment and techniques used.
Record cases of illicit discharges using the DEP's Illicit Connection Inspection Report Form
from the Department's main stormwater webpage.
Pemberton Borough will investigate and illicit connection on all outfall pipes during the annual outfall inspection in Pemberton Borough or upon notification from Burlington County of a concern.
Any outfall pipes that are found to have a dry weather or intermittent non-storm flow will be further investigated for an illicit connection. CCTV inspection equipment will be used to video the upstream system to find the location of the illicit connection within 30 days of discovery of the dry weather flow if a visual inspection of the upstream inlets and manholes does not identify the source.
Reports of illicit connections from outside parties will be investigated within 30 days of the report.
6. Other Municipal Infrastructure
List the types of MS4 infrastructure in your town that require inspection but are not noted above in items 1-5. Describe when and how you conduct inspections of this infrastructure and the criteria used to determine when they need to be maintained and/or cleaned.
N/A
VA

7. Stormwater Facilities Not Owned or Operated by the Municipality
Describe your program for ensuring adequate long-term cleaning, operation, and maintenance
of stormwater facilities not owned or operated by the municipality. This should include your
plan for ensuring annual inspections are being done on these private properties and describe
how you record the locations and logs associated with private infrastructure.
Pemberton Borough will send letters to the owners of privately owned basins yearly requesting
copies of the maintenance and inspection logs for privately owned basins.
TI 1 211 1 4 24 4 CDDD
The logs will be kept with the SPPP.
O. L. C. and and A. C. and and A. C. and and A. C. and A. And A. C. and A. C
8. Infrastructure Records
Indicate the leastion of records related to stormy voter infrastructure inspection, cleaning
Indicate the location of records related to stormwater infrastructure inspection, cleaning,
maintenance, and repair activities.
The records are kept at Borough Hall with the SPPP.
The records are kept at Borough Hall with the SFFF.

Form 8 – Community-wide Measures Part IV.F.2.

1. Herbicide Application Management

Describe your program for preventing herbicides from being washed into the waters of the State and to prevent erosion caused by de-vegetation.

Pemberton Borough restricts the application of herbicides to prevent herbicides from being washed into the waters of the State and to prevent erosion caused by de-vegetation. Pemberton Borough does not apply herbicides on or adjacent to storm drain inlets, or on steeply sloping grounds; only apply herbicides along curb lines and unobstructed shoulders that contain unwanted vegetation; and only apply herbicides within a 2-foot radius around structures where overgrowth presents a safety hazard and where it is unsafe to mow.

2. Excess Deicing Material Management

Describe your program for ensuring that excess salt piles are removed in a timely manner after storm events.

Pemberton Borough has an interlocal agreement with the county of Burlington, when de-icing is necessary, Pemberton Borough utilizes salt/sand from the county facilities. Pemberton Borough does not store salt/sand at its facility.

3. Roadside Vegetative Waste

Describe your program for ensuring proper pickup, handling, storage, and disposal of wood waste and yard trimmings generated by the permittee along municipal roads or on municipal properties (trimming trees, mowing, etc.).

Pemberton Borough has developed and implemented a yard waste collection and disposal program.

We will be conducting collections of leaves and grass during the months of November and December, plus one collection in the spring. During the remainder of the year, Pemberton Borough may hold additional yard waste collections, but no schedule has been determined for these. During the months when we are having collections, we will post our collection schedule and our ordinance requirements on the borough website.

Pemberton Borough has adopted and is enforcing a yard waste ordinance that prohibits all yard wastes from being placed at the curb or along the street more than seven days prior to our scheduled collection unless they are bagged and otherwise containerized. The ordinance also prohibits the placing of yard waste closer than 10 feet from any storm drain inlets along the street unless they are bagged or otherwise containerized.

4. Roadside Erosion Control

Describe your program to detect and repair erosion along municipal roadways.

Pemberton Borough will use the Public Works Department to monitor all their roads and streets for erosion problems during normal patrols. All identified road erosion will be reported to the Public Works Coordinator. Identified areas of erosion will be evaluated and repairs prioritized. Maintenance personnel will then be assigned to the areas of concern, and the areas identified to have road erosion problems will be repaired in accordance with the Standards for Soil Erosion and Sediment Control in New Jersey. All Maintenance personnel will maintain an inspection log, and the Public Works Coordinator will maintain a list of all repairs and the dates completed. The status of the Road Erosion Control Maintenance Program will be included in the Annual Report.

Form 9 – Municipal Maintenance Yards & Other Ancillary Operations *Part IV.F.5.*

Please complete a separate Form 9 for each yard or site. Indicate the number of yards/sites the municipality owns or operates: 1

1. Site Name and Address	
DPW Maintenance Yard on Antis Street	
2. Monthly Site Inspections Describe the nature of inspections conducted	d at this site and the location of inspection logs.
Periodically check for leaks and damaged equipment inspections for all (indoor and outdoor if applicable)	
3. Inventory List List all materials and machinery that are potentials.	entially exposed to stormwater.
Materials	Machinery/Equipment
None	2 Utility Trucks
	1 Dump Truck
	Pick-up Trucks
	Backhoe
	1 Utility Trailer

4. Discharge of Stormwater from Secondary Containment

Describe the process in place for discharging stormwater from secondary containment areas where outdoor containers are stored.

Pemberton Borough may discharge stormwater accumulated in a secondary containment area (e.g., fuel storage, de-icing solution storage, brine solution) provided a visual inspection is performed to ensure that the contents of aboveground storage tank have not come into contact with the stormwater to be discharged. Visual inspections are only viable when dealing with materials that can be observed, like petroleum. If the contents of the tank are not visible in stormwater, Pemberton Borough shall rely on previous tank inspections to determine with some degree of certainty that that stormwater in the secondary containment areas is uncontaminated, then the stormwater shall be hauled off-site for proper disposal. If the secondary containment area contains a valve, this valve shall remain closed at all times except as described above.

5. Fueling Operations

Does fueling occur on site? If so, describe the BMPs in place to minimize contamination of stormwater from fueling activities. If not, explain where fueling takes place.

Yes.

- Shut off engine
- Ensure that the fuel is the proper type of fuel
- Absorbent spill clean-up materials and spill kits shall be available in fueling areas and shall be disposed of properly after use.
- Nozzles used in vehicle and equipment fueling shall be equipped with an automatic shutoff to prevent overfill.
- Fuel tanks shall not be "topped off"
- Clearly post, in a prominent area of the facility, instructions for safe operation of fueling equipment, and appropriate contact information for the person(s) responsible for spill response.

6. Vehicle/Equipment Maintenance and Repair

Do you perform maintenance and repair on site? Is this conducted indoors or outdoors? If outdoors, describe the BMPs in place to minimize contamination of stormwater from maintenance and repair activities.

Yes

- Conduct vehicle maintenance operation only in designated areas.
- When possible, perform all vehicle and equipment maintenance at an indoor location with a paved floor.
- Always use drip pans
- Absorbent spill clean-up materials shall be available in maintenance areas and shall be disposed of properly after use.
- For projects that must be performed outdoors that last more than one day, portable tents or tarps must be placed over exposed equipment or machinery when not being worked on.
- Do not dump or dispose batteries, used oils, antifreeze, and other toxic fluids into a storm drain or watercourse.
- Do not bury tires.
- Collect waste fluids in properly labeled containers and dispose properly.

7. Wash Wastewater Containment

Do you wash vehicles on site? If so, describe the BMPs in place to minimize contamination of stormwater from these activities. Note that on site containment structures require annual inspections by a NJ licensed professional engineer. If not, explain where vehicle washing takes place.

The Borough does not wash their vehicles.

8. Salt and Other Granular De-icing Materials

Do you store salt and other granular deicing materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.

Pemberton Borough has an interlocal agreement with the county of Burlington, when de-icing is necessary, Pemberton Borough utilizes salt/sand from the county facilities. Pemberton Borough does not store salt/sand at its facility.

9. Aggregate Material, Wood Chips, and Finished Leaf Compost

Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.

The Borough does not store materials.

10. Cold Patch Asphalt

Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.

The Borough does not store cold patch.

11. Street Sweepings and Storm Sewer Cleanout Materials

Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.

The Borough does not store materials.

12. Construction and Demolition Waste, Wood Waste, and Yard Trimmings Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.
The Borough does not store demolition or yard waste.
13. Scrap Tires Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.
Scrap tires are stored in the garage.
14. Inoperable Vehicles and Equipment Do you store inoperable vehicles or equipment on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater. If not, explain where they are stored.
The Borough does not store inoperable vehicles.

Form 10 – Training

Part IV.F.6-10.

Stormwater Program Coordinators

Describe the training provided for the municipal Stormwater Program Coordinator.

Pemberton Borough shall ensure that all individuals who serve as Stormwater Program Coordinators (SPC) complete mandatory Department training regarding their responsibilities to implement the stormwater program in their municipality. SPCs are required to attend this training once per permit cycle thereafter. In the event of SPC turnover, Pemberton Borough shall comply with the conditions set forth in permit regulations and ensure that the new SPC attends the next available Department training session.

Topic	Municipal Employees Examples: in-person or virtual group sessions, e-Learning, field trainings, and videos
	Describe the training provided for municipal staff.
SPPP	The Borough will train all employees within 3 months of them commencing duty and will maintain sign-in sheets. Annual Training will include review of this SPPP, applicable
	recordkeeping, and detailed training as needed.
Construction Site Stormwater Runoff	Pemberton Borough provides in-person training regarding the need for applicable construction sites to obtain a Construction Site Stormwater Runoff general or individual permit authorization.
Post-Construction Stormwater Management in New and Redevelopment	Pemberton Borough provides in-person training on the requirements for Post-Construction Stormwater Management in New Development and Redevelopment. The training includes review of the Stormwater Management Rules, SCO, BMP Manual and Guidance Documents.
Ordinances	Pemberton Borough provides in-person training on the community-wide ordinances including a review of the requirements, enforcement, and the repercussions of non-compliance.
Community-wide Measures	Pemberton Borough provides in-person training on the community-wide pollution prevention/good housekeeping measures. The training includes review of street sweeping schedules, storm drain inlet requirements, herbicide application, yard waste collection and disposal, and roadside erosion control requirements.

Stormwater Facilities Maintenance	Pemberton Borough provides in-person training on the maintenance of inventoried stormwater facilities owned or operated by the municipality as well as those not owned or operated by the municipality.
Municipal Maintenance Yards and Other Ancillary Operations	Pemberton Borough provides in-person training on implementing BMPs, good housekeeping measures, and conducting and documenting site inspections at municipally owned or operated Maintenance Yard Operations and Other Ancillary Operations.
MS4 Mapping	Pemberton Borough provides training on mapping MS4 infrastructure within the municipality.
Outfall Stream Scouring	Pemberton Borough provides in-person training on how to inspect, identify, correct, and document outfall pipe stream scouring and contributing factors.
Illicit Discharge Detection and Elimination	Pemberton Borough provides in-person training on how to inspect, identify, eliminate, and document the impacts associated with illicit connections and details of the program including investigation techniques, physical observations, and field sampling.

Stormwater Management Design Reviewers

Describe the training provided for individuals responsible for reviews and approvals of stormwater management designs.

Municipal board and governing body members that review and approve projects for new and redevelopment projects will complete the online training tool provided by the NJDEP and will continue to review at least one tool found at

www.nj.gov/dep/stormwater/training.htm once per term of service.

Pemberton Borough shall ensure that all individuals that review and approve stormwater management designs for major development projects on behalf of Pemberton Borough for compliance with the Stormwater Management rules at N.J.A.C. 7:8 have completed this mandatory Department provided training. This information can be found at www.njstormwater.org/training.htm.

This SWMDR training course covers the rule's requirements, calculation methodologies, and how to review a major development. This training must be completed, at a minimum, once every five years.

A list of the individuals that completed this training course is posted at the link noted above, which includes their five-year expiration date.

Municipal Board and Governing Body Members

Describe the training provided for members of the planning/zoning board and municipal council.

- a.) Pemberton Borough shall ensure that municipal board and governing body members complete the "Asking the Right Questions in Stormwater Review Training Tool" posted at www.njstormwater.org/training.htm. This training is required for planning board members, zoning board members, and governing body members who review and approve applications for development and redevelopment projects on behalf of Pemberton Borough.
- b.) This training must be complete by current municipal board and governing body members and once per term of service thereafter, municipal board and governing body members must also review at least one of the tools offered under Post-Construction Stormwater Management found at the website above.

Training Records

Indicate the location of training records for the above required training.

Records are stored at Borough Hall.

Form 11 – MS4 Mapping *Part IV.G.1.*

1. Provide a link to the most current MS4 outfall/infrastructure map.		
https://pembertonborough.us/index.html		
2. Indicate the total of each type of MS4 infrastructure listed below (due 01 Jan 2026).		
a. MS4 outfalls	, , , , , , , , , , , , , , , , , , ,	
b. MS4 ground water discharge points (basins or overland flow infiltration areas)		
c. MS4 interconnections		
d. MS4 storm drain inlets		
e. MS4 manholes		
f. Length of conveyance (channels, pipes, ditches, etc.)		
g. MS4 pump stations		
h. MS4 stormwater facilities (any that are not listed above)		
i. Maintenance yard(s) and other ancillary operations		
3. Describe how the municipality's outfall/infrastructure map is review		
reflect any new or newly identified MS4 infrastructure (e.g., an outf	fall is closed, a new	
basin is constructed, ownership of an outfall has changed, etc.).		
The Borough Engineer is responsible for preparing and updating the map.		
4. Describe how the municipality will create and update its MS4 Infrastr	•	
The Borough will utilize the Borough Engineer to locate the Borough facilitimap.	ies and prepare the	

Form 12 – Watershed Improvement Plan Part IV.H.

1. Describe how your municipality is developing its Watershed Improvement Plan.

Pemberton Borough shall develop a Watershed Improvement Plan in the three phases specified below that describes what action Pemberton Borough will take to:

- i.) Improve water quality by reducing the contribution of pollutant parameters for all receiving waters within and bordering the town that have percent reductions listed for stormwater in the Total Maximum Daily Loads.
- ii.) Improve water quality by reducing the contribution of pollutant parameters for all receiving waters within and bordering the town that have water quality impairments as per the Department's Integrated Report.
- iii.) Reduce and/or eliminate stormwater flooding in the municipality, prioritizing the areas of flooding for corrective actions based on threat to human health and safety, environmental impacts, and frequency of occurrence.

The Watershed Inventory Report will be posted to the stormwater webpage by 01/01/2026.

2. Describe any regional projects or collaboration efforts with other municipalities.

Pemberton Borough shall solicit input from stakeholders, including residents, business, owners, owners of private stormwater facilities, and other municipalities and/or dischargers to the subwatershed(s) to be involved in the Plan development process.

3. Indicate the location of records related to all public information sessions and meetings for discussions of the Watershed Improvement Plan.

The record will be stored at Borough Hall.